$70 \times 35 \times 30 \%$ inches

AIR-WHIRLPOOL MODEL #WI2INF7135A



Not a drop-in model. Deck must be built around unit.

FEATURES ~

- Raised seating
- Sculpted armrests
- Extra-soft magnetic comfort pillow
- Adjusta-level metal base
- Slip resistant floor
- Premium cast acrylic surface
- Limited lifetime warranty

SYSTEM FEATURES (standard)

AIR-WHIRLPOOL COMBINATION



- Electronic control with preset capability
- 16 hydrotherapy jets
 - 12-jet heated-air shiatsu back massage system
 - Leg and foot jets
- Whirlpool pump
- 1.5kW inline maintenance heater
- High intensity LED chromatherapy light
- In-floor illusion air injectors


- Variable speed heated-air blower with wave and pulse modes
- Air system purge and dry cycle



INFINITY 2

 $70 \times 35 \frac{1}{2} \times 30 \frac{3}{4}$ inches

BASE MODEL	PKG. WT. LBS.	JETS	DRAIN	MODEL #	MSLP
☐ Air-Whirlpool	356	16	Univers.	W2INF7135A	\$8,603



OPTIONS (x = insert desired option code)		ENTER DESIRED OPTION CODE	MSLP
Cast acrylic stock color (COLxx): White (WH)			No charge
Cast acrylic color upgrade (COLxx): Biscuit (BI)			\$35
Cast acrylic premium color upgrade (COLUxx): Black (BK) Sterling Silver (ST)			\$389
Magnetic pillow (MPxxxxx): White (WHPIL) Black (BKPIL)			No charge
Cable drive waste & overflow: Chrome (CDCHCD)			\$345
Cable drive waste & overflow, color-matched (CDxxxx): Biscuit (BICD) White (WHCD)			\$390
Cable drive waste & overflow (CDxxxx): Oil Rubbed Bronze (OBCD) Polished Brass (BRCD) Brushed Nickel (SNCD)			\$440
Metallic trim: Chrome (MTCH)			\$540
Metallic trim (MTxx): Polished Brass (BR) Brushed Nickel (SN)			\$675
Fast-fill waterfall spout (SPWFS)			\$525
Rush order program* (DELQK)			\$325
Residential delivery with lift gate* (DELLG)			\$454
*For program terms and conditions, see page iii.			
BASE PRICE (insert MSLP of base model selected in upper table)	+\$		
OPTIONS SUB TOTAL	\$		
ORDER TOTAL	= \$		

INFINITY

PRODUCT FEATURES

· Note: Not a drop-in model. Deck must be built around unit.

For series features see section page.

ILLUSTRATION KEY

Р	= Pump	Location



ORDERING KEY

In the part number, "xx" means an option code must be inserted.

Acrylic stock color (COLxx): ← part number

option code → White (WH)


Example: COLXX + WH = COLWH Acrylic stock color in White

Manufacturer reserves the right to discontinue models, colors, options and trim finishes without notice.

Customer Name: Date: Additional Information:

Rev. 10.08.18







INFINITY 2

 $70 \times 35 \times 30 \frac{3}{4}$ inches



Not a drop-in model. Deck must be built around unit. This unit has a 34" female waterfall fill spout connection.





Note: Infinity 2 is not a drop in model. A deck must be built around the tub.

FEATURES Dimensional Tolerance ± 3/8". Dimensions needed for site preparation should be measured from the unit. Aquatic assumes no responsibility for preparatory work.

Type and Model #	Material	Jets	Pump	Air System	Blower	Heater	Controls	Drain	Pkg. Wt.
Air-whirlpool #WI2INF7135A	Cast Acrylic	16	102 GPM	Injector	Variable speed	1.5 kw Inline	Electronic	Universal	356

DIMENSIONS inches

Width	Depth	Height	Skirt
Overall / Net	Overall / Net	Overall / Net	Height
70	35	30 ¾	-

SUMP DATA inches

	Min. Operating Capacity	WIDTH @	VIDTH @ centerline		DEPTH @ centerline	
	gal (ltr)	Тор	Bottom	Тор	Bottom	
102	69	60 1/2	48 1/4	26	20 1/4	

PLUMBING DIMENSIONS inches

А	В	Drain Diameter / Clearance
2 3 /8	9 1/2	2 / 2 3/4

NOTES:

1) Where applicable, utilize cut-out templates packed with unit for deck cutouts.

2) 16 x 16 minimum access required at pump/blower location(s).

ELECTRICAL DATA

Component	Specification	Requirement		
Pump	9 AMP; 120 V	15 AMP 1 pole, separate circuit, Class A GFCI		
Inline Heater	1.5 kW; 12 AMP; 120 V	15 AMP 1 pole, separate circuit, Class A GFCI		
Blower	1.0 HP; 9.5 AMP; 120 V	15 AMP 1 pole, separate circuit, Class A GFCI		

Rev. 10.08.18